
AM105-02 Front 300503665 UPC 8 13576 00600 6 IMAGE Herbicide Consumer Concentrate Kills Nutsedge (Connect & Spray) 32 oz Process Cyan
Process Magenta
Process Yellow
Process Black

Pantone 341 Green
Pantone 376 Lime Green
White Opaque Underlayer
Pantone 108 (as process)
Pantone 1797 (as process)
EPO Swoosh Gradient

Size: 3.969" x 5.303"

**DATE**: 07-17-09




White opaque underlayer (shown as Pink on proof) prints on metallic substrate. Swoosh area (shown on proof and in document as gradient) is not printed to show metallic substrate below.

AM105-02 Front 300503665 UPC 8 13576 00600 6 IMAGE Herbicide Consumer Concentrate Kills Nutsedge (Connect & Spray) 32 oz Process Cyan
Process Magenta
Process Yellow
Process Black

Pantone 341 Green
Pantone 376 Lime Green
White Opaque Underlayer
Pantone 108 (as process)
Pantone 1797 (as process)
EPO Swoosh Gradient

Size: 3.969" x 5.303"



White opaque underlayer (shown as Pink on proof) prints on metallic substrate. Swoosh area (shown on proof and in document as gradient) is not printed to show metallic substrate below.

Black Pantone 341 Gree

AM105-02 12 Page Book 300503666 UPC 8 13576 00600 6 **IMAGE** Herbicide Consumer Concentrate Kills Nutsedge (Connect & Spray)

Size: 3.625" x 3.6"



# KILLS NUTSEDGE

# Also Kills Dollarweed, Wild Onion, Sandbur, Annual Bluegrass

Selective Herbicide for Use in Established:

Bermudagrass • Buffalograss • Centipedegrass • St. Augustinegrass Zoysiagrass • Selected Landscape Ornamentals and Groundcovers

### 32 FL. OZ. TREATS 8,000 SQUARE FEET

See inside for additional Precautionary Statements, First Aid, and complete Directions for Use

el interior para obtener declaraciones adicionales de precaución, primeros auxilios e instrucciones completas de uso

For more information, please visit our website at www.imageforweeds.com

Image and Ambrands are registered trademarks of Central Garden & Pet.

Manufactured for: AMBRANDS®

3.6"

AMBRANDS®
2030 Powers Ferry Road, Suite 370
Atlanta, GA 30339
EPA Reg. No. 73342-4
EPA Est. No. 5905-GA-01a, 2217-KS-028
Subscript used is first letter of Run Code on Container.



PULL HERE TO OPEN PRESS TO RESEAL
THE AQUÍ PARA ABRIR PRESIONE PARA VOLVER A CERRAR

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown on golf courses or lawns and grounds.

Observe all cautions and limitations on this label. The use of IMAGE Consumer Concentrate not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

### **GENERAL INFORMATION**

ILENERAL INFURMATION

IMAGE Consumer Concentrate selectively kills tough weeds like purple and yellow nutsedge, wild onion and garlic, dollarweed, annual bluegrass, and others as listed. It can be used to kill weeds in bermudagrass, St. Augustinegrass, buffalograss, centipedegrass, or zoysiagrass lawn and also in certain landscape ornamentals and ground-covers (see CONTROL OF WEEDS IN ORNAMENTALS). IMAGE is mainly absorbed by the roots of sprayed weeds and is translocated throughout the weed to provide complete kill. Complete kill should occur in 3-5 weeks.

- 1. IMAGE is absorbed into the weed directly after application
- 2. Weed is yellow and wilted in 1-2 weeks
- 3. Weed is dead in 3-5 weeks

Apply at the rate of 1 quart IMAGE to cover 8,000 sq. ft. of lawn.

- 1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
- 2. Turn water on at faucet, aim nozzle toward lawn and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.
- 3. When finished turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

#### APPLICATION INSTRUCTIONS

- Wear long-sleeved shirt, long pants, shoes and socks when applying this product.
- Use only on well-established, non-stressed, labeled lawngrasses with a dense and uniform stand. TEMPORARY YELLOWING MAY OCCUR.
- Water in within 1-7 days after application to wash the IMAGE into the root zone where the greatest weed control activity occurs.
- For difficult to kill weeds, a second application can be made 6 weeks after the initial
- For best results, do not mow immediately before or for 48 hours after application.
- IMAGE may injure tall fescue. Do not use on tall fescue when it is used as a desirable
- Wait at least 11/2 months after treatment before reseeding, winter overseeding, or plugging lawns.
- Not for use on newly planted or plugged lawns nor on winter overseeded lawns, such as ryegrass, when the overseeded grass is desirable.
- Avoid application to soil where annual bedding plants may be planted the following year, or plant injury may result.
- Try to avoid overlaps when spraying. Apply only when wind is no more than 10 mph.
- Avoid drift onto vegetables, flowers and unlabeled ornamental shrubs and plants as
- · Do not graze or feed treated grass clippings. Do not apply in vegetable gardens.
- . Do not apply in greenhouses.



# CONTROL OF SUMMER WEEDS

yellow nutsedge purple nutsedge annual sedge\* rice flatsedge dollarweed\*

Virginia buttonweed\* crabgrass\* perennial ryegrass green kyllinga globe sedge violets\* field sandbur bahiagrass\* tall fescue

Do not apply during the cooler winter months when turf and weeds are not actively growing. Do not apply just prior to or during transition or during periods of very slow turf growth or severe discoloration could occur.

**CONTROL OF WINTER WEEDS** 

\*More than one application may be needed.



annual bluegrass\*
(Poa annua)
tall fescue
common chickweed
cutleaf evening
primrose
dovetail geranium

purple deadnettle wild garlic black medic mouseear chickweed dandelion\* hairy bittercress lawn burweed red sorrel wild onion perennial ryegrass buttercup cudweed Carolina geranium henbit parsley-piert white clover

Time applications to follow the first killing frost. IMAGE may be applied prior to or soon after emergence of the weeds listed with the exception of wild onion and wild garlic which must be emerged at application time for control. **DO NOT USE ON ST. AUGUSTINEGRASS FOR WINTER WEED CONTROL** or other labeled turfgrasses that do not go dormant.

\*More than one application may be needed.

# CONTROL OF WEEDS IN ORNAMENTALS AND GROUND COVERS

IMAGE is effective in killing the listed weeds in established landscape plantings. Apply IMAGE spray solution to the area where weeds occur. Applications should only be made over the top of or around the *listed* ornamentals. APPLICATION TO THE FOLIAGE OR ROOT ZONE OF UNLABELED ORNAMENTALS, PERENNIALS, OR ANNUAL BEDING PLANTS MAY RESULT IN SEVERE PLANT INJURY. Use only on well-established, non-stressed plants. Ornamentals which are known to be severely injured by IMAGE include azalea, ligustrum (privet), viburnum, pieris, abelia and roses.

IMAGE CAN BE APPLIED TO THE FOLLOWING ORNAMENTALS:	
Indian Hawthorne (Raphiolepis indica)	Parsons Juniper 'Parsoni' (Juniperus conferta)
Dwarf Yaupon Holly 'Schillings Dwarf' (Ilex vomitoria)	Blue Pacific Juniper 'Blue Pacific' (Juniperus conferta)
Blue Pfitzer Juniper 'Pfitzeriana Glauca' (Juniperus chinensis)	Blue Rug Juniper 'Wiltonii' (Juniperus horizontalis)
Helleri Holly 'Helleri' (Ilex crenata)	Red Crape Myrtle 'Red' (Lagerstroemia indica)
Red Tip Photinia (Photinia X fraseri)	Asiatic Jasmine 'Minima' (Trachelospermum asiaticum)
Yucca (Yucca pendula)	Giant Liriope 'Evergreen Giant' (Liriope muscari)
Wax Myrtle (Myrica cerifera)	Variegated Liriope 'Silvery Sunproof'

(continued)

5

3.625"

3.625

IMAGE CAN BE APPLIED TO THE FOLLOWING ORNAMENTALS (continued):	
Burford Holly 'Burfordii' (Ilex cornuta)	Pachysandra (Pachysandra terminalis)
Gardenia 'Miami Supreme' (Gardenia jasminoides)	Mondograss (Ophiopogon japonicus)
Flame of the Woods (Ixora coccinea)	Hosta 'Lancifolia' <i>(Hosta</i> sp.)
Confederate Jasmine (Trachelospermum jasminoides)	Society Garlic (Tulbaghia violacea)

#### STORAGE AND DISPOSAL

Pesticide Storage: KEEP FROM FREEZING. Do not store below 32°F. Store in a cool,

dry place inaccessible to children or pets.

Pesticide Disposal: If partly filled – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Container Disposal: If empty—Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label

In case of an emergency endangering life or property involving this product, call day or night, 800-265-0761.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep children and pets out of the treated area until sprays have dried.

# **ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call (800) 265-0761 for emergency medical information.



If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.



If on skin or clothing Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.



If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

3.625

3.625

#### **INSTRUCCIONES**

Usar este producto de modo inconsistente con las indicaciones de su etiqueta constituye una violación de la ley federal.

No se debe usar en plantas cultivadas para la venta u otro uso comercial, o para la producción comercial de semillas o para fines investigativos. Se debe usar en plantas destinadas a fines estéticos o modificación climática y que se cultivan en campos de golf o césped y jardines.

Respete todas las precauciones y limitaciones en esta etiqueta. El uso del concentrado IMAGE que no cumpla con las indicaciones de esta etiqueta puede lastimar a la planta. Mantenga el envase cerrado para evitar derrames y contaminación.

#### INFORMACIÓN GENERAL

El concentrado IMAGE elimina selectivamente las malas hierbas resistentes como la chufa púrpura y amarilla, cebolla silvestre y ajo, acaricoba, pasto azul anual y otros mencionados en la lista. Se puede usar para eliminar las malas hierbas en la grama Bermuda, grama San Agustín, zacate búfalo, grama ciempiés o grama zoysia, y también en ciertos paisajes ornamentales y coberturas de suelo (Revise CONTROL DE MALAS HIERBAS EN ZONAS ORNA-MENTALES). IMAGE se absorbe principalmente a través de las raíces de las malas hierbas seria deserva de superior de la malas hierbas. rociadas y se distribuye en toda la mala hierba eliminándola completamente. La eliminación completa debe ocurrir en 3-5 semanas.

- 1. La mala hierba absorbe IMAGE directamente después de la aplicación
- 2. La mala hierba se vuelve amarilla y se marchita en 1-2 semanas
- 3. La mala hierba muere en 3-5 semanas

- 3. La mala nieroa niuere en 3-5 senianas
  Aplique a una tasa de 1 cuarto; IMAGE cubrirá
  8,000 pies cuadrados de césped.

  1. Asegúrese de que la palanca de control se encuentre en la
  posición OFF (apagado). Agite bien y adjunte la manguera.

  2. Abra la llave del agua, apunte la boquilla hacia el césped y coloque
  la palanca de control en ON (encendido) para comenzar a rociar. El
  producto automáticamente se lanzará en chorro y se mezclará con agua.

  Constanta la composa de la capaça de la respición OEF. Gierre la llave de
- 3. Cuando termine, coloque la palanca en la posición OFF. Cierre la llave del agua. Descar-gue la presión de agua residual girando la palanca de control en ON y OFF nuevamente.

#### INSTRUCCIONES DE APLICACIÓN

- Use camisas de mangas largas, pantalones largos, medias y zapatos cuando aplique este
- Ose cambas de mangus ragus, paracionados, bien establecidos y sin problemas con una conformación densa y uniforme. PUEDE OCURRIR UN CAMBIO TEMPORAL A COLOR AMARILLO. Riegue dentro del periodo de 1-7 días luego de la aplicación para distribuir IMAGE dentro
- de la zona de la raiz donde ocurre la mayor actividad de control de malas hierbas. Para las malas hierbas sumamente resistentes, se puede realizar una segunda aplicación 6 semanas después de la aplicación inicial.
- Para mejores resultados, no pode inmediatamente antes o durante 48 horas después de la
- aplicación. IMAGE puede dañar la festuca alta. No utilice en festuca alta cuando se use como tepe
- deseable. Espere por lo menos 11/2 meses después del tratamiento antes de volver a sembrar, el sembrado de invierno o el parchado de césped.
- No se debe usar en césped recientemente sembrado o parchado, ni en césped sembrado en exceso en invierno, por ejemplo en raigrás, cuando se desee grama sembrada en exceso. Evite la aplicación a suelo donde se pueda plantar plantas anuales de lecho al siguiente
- año, o pueden ocurrir lesiones en la planta Trate de evitar la superposición cuando rocíe. Aplique sólo cuando el viento no sea mayor
- Evite la diseminación en vegetales, flores y arbustos y plantas ornamentales no etiqueta-das pues pueden ocurrir lesiones. No apaciente ni alimente con los residuos del césped podado. No aplique en huertos.
- No aplique en invernaderos.

Elimina

chufa amarilla chufa púrpura totorilla de arroz

**CONTROL DE MALAS HIERBAS DE VERANO** hierba de botón de Virginia\* zacate mano de cangrejo raigrás perenne kyllinga verde juncia globo

violetas\* hierba mora grama bahía\* festuca alta

3.625

3.625

No aplique durante los meses más fríos de invierno cuando el tepe y las malas hierbas no crecen activamente. No aplique antes o durante la transición o durante los periodos de crecimiento de tepe muy lento, pues puede ocurrir descoloración grave.

\*Se puede necesitar más de una aplicación.



## **CONTROL DE MALAS HIERBAS DE INVIERNO**

pasto azul anual\*
(Poa annua)
festuca alta
estalaria común
onagra de hojas cortas
geranio cola de tórtolo
escleranto
ortiga muerta purpúrea
ajo s
alfal
dient
berrd
escleranto
cebo

ajo silvestre alfalfa negra estalaria oreja de ratón diente de león\* berro amargo bardana de césped alazán cebolla silvestre raigrás perenne ranúnculo siempreviva geranio de Carolina ortiga mansa alquimila trébol blanco

Sincronice la aplicación para después de la primera helada. Se puede aplicar IMAGE antes o después de la emergencia de las malas hierbas mencionadas con excepción de la cebolla silvestre y el ajo silvestre que pueden surgir en el momento de la aplicación para el control. NO UTILICE EN GRAMA SAN AGUSTIN PARA EL CONTROL DE LAS MALAS HIERBAS DE INVIERNO U otros tepes etiquetados que no hibernen.

\*Se puede necesitar más de una aplicación.

## CONTROL DE MALAS HIERBAS EN TERRENOS ORNAMENTALES O COBERTURAS DE SUELO

IMAGE es eficaz para eliminar las malas hierbas mencionadas en jardines de paisajes establecidos. Aplique la solución rociadora IMAGE a la zona donde aparecen las malas hierbas. Se deben hacer las aplicaciones hasta la parte superior o alrededor de las plaintas ornamentales mencionadas. LA APLICACIÓN AL FOLLAJE O ZONA DE LA RAIZ DE PLANTS ORNAMENTALES, PERENNES O DE LECHO ANUAL NO MENCIONADAS PUEDE RESULTAR EN LESIONES GRAVES PARA LA PLANTA. Usese sólo en plantas bien establecidas, sin perturbaciones. Se sabe que las plantas ornamentales que IMAGE daña gravemente son la azalea, ligustro, viburno, pieris, abelia y rosas.

#### SE PUEDE APLICAR IMAGE A LAS SIGUIENTES PLANTAS ORNAMENTALES:

Espino indio (Raphiolepis indica)
Acebo americano (Ilex vomitoria)
Junípero (Juniperus chinensis)
Xifo (Ilex crenata)
Fotinia de punta roja (Photinia X fraseri)
Yuca (Yucca pendula)
Mirto ceroso (Myrica cerifera)
Acebo Burford (Ilex cornuta)
Gardenia 'Miami Supreme'
(Gardenia jasminoides)
Jacarandá (Ixora coccinea)
Jazmín confederado
(Trachelospermum jasminoides)

Junípero Parsons (Juniperus conferta)
Junipero 'azul Pacífico'
(Juniperus conferta)
Junípero Wilton (Juniperus horizontalis)
Mirto rojo (Lagerstroemia indica)
Jazmín asiático
(Trachelospermum asiaticum)
Liriope gigante (Liriope muscari)
Liriope jaspeado (Liriope muscari)
Liriope jaspeado (Liriope muscari)
Pachysandra (Pachysandra terminalis)
Hierba japonesa (Ophiopogon japonicus)
Hosta (Hosta sp.)
Tulbagia (Tulbaghia violacea)

# **ALMACENAMIENTO Y ELIMINACIÓN**

Almacenamiento del plaguicida: EVITE EL CONGELAMIENTO. No guarde a temperaturas menores de 32ºF. Guarde en lugar seco y fresco inaccesible para los niños o mascotas. Eliminación del plaguicida: Si el envase se encuentra parcialmente Ileno — Llame a su agencia local de manejo de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto no utilizado en ningún drenaje interior o exterior. Eliminación del envase: Si está vacío — Envase que no se puede rellenar. No vuelva a usar o rellenar este envase. Tírelo a la basura o, si está disponible, ofrézcalo para reciclaje.

ADVERTENCIA: Hasta donde sea consistente con la ley aplicable, el vendedor no hace ninguna garantía, expresa o implícita, relacionada con el uso de este producto que no sea el indicado en la etiqueta. Hasta donde sea consistente con la ley que aplica, el comprador asume todo el riesgo por el uso o manejo de este material cuando dicho uso o manejo sea contrario a las instrucciones que aparecen en la etiqueta.

En caso de una emergencia que ponga en peligro su vida o propiedad que implique a este producto, llame al 800-265-0761 durante al día o la noche.

11

# DECLARACIONES DE PRECAUCIÓN DAÑINO PARA LOS SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN

Perjudicial si se inhala o absorbe a través de la piel. Evite aspirar el rociado. Evite el contacto con la piel, los ojos o la ropa. Lávese completamente con agua y jabón después de manejar el producto. Quítese la ropa contaminada y lave la ropa antes de volver a usar. Mantenga a los niños y mascotas fuera del área tratada hasta que se haya secado el rociado.

# **RIESGOS AMBIENTALES**

Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra a drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima calmado cuando no hay predicción de lluvia para las siguientes 24 horas ayudará a garantizar que el viento o la lluvia no soplen o laven el pesticida del área tratada. Lavar el equipo utilizado para la aplicación sobre el área tratada ayudará a evitar que se escurra a los cuernos de agua o sistemas de drenaje los cuerpos de agua o sistemas de drenaje.

# **PRIMEROS AUXILIOS**



PRIMEROS AUXILIOS

Tenga consigo el envase o etiqueta del producto cuando llame al centro de control de envenenamiento o al médico, o acuda al tratamiento. También puede comunicarse al (800) 265-0761 para obtener información médica de emergencia.

Si se inhala Mueva a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia, luego aplique respiración artificial, de preferencia boca a boca, si es posible. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento.

Si ocurre contacto con la piel o ropa Quítese la ropa contaminada.

En juaque la piel i immediatamente con abundante aqua durante 15 ó 20



Enjuague la piel inmediatamente con abundante agua durante 15 ó 20 minutos. Llame a un centro de control de envenenamiento o a un médico



para recibir consejos de tratamiento.

Si ocurre contacto con los ojos Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 ó 20 minutos. Retire los lentes de contacto, si hubiera, después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento.

AM105-02 Base 300503666 UPC 8 13576 00600 6 IMAGE Herbicide Consumer Concentrate Kills Nutsedge (Connect & Spray) 32 oz

Size: 3.969" x 5.303"

